

Guide Formulation

Personal Care

Pressed Eye-Shadow Powder

**Containing: BC 2161, Dimethicone and Trimethylsiloxyisilicate
BC 2231, Cyclopentasiloxane and Dimethiconol**

This creamy, pressed powder eye-shadow formulation is based on the properties of BC 2161 as a pigment adhesion promoter on skin and the improved softness and ease of application delivered by BC 2231.

Raw Material	Weight %	Supplier
<u>Part 1</u>		
Sericite and Triethoxycaprylsilane	69.8	Kobo
Ultramarine Blue and Triethoxycaprylsilane	7.0	Kobo
Methylparaben	0.3	
Mica and Titanium oxide and Ferric Ferrocyanide	10.0	Mearl
<u>Part 2</u>		
BC 2161 Dimethicone and Trimethylsilyloxyisilicate	8.5	Basildon Chemicals
BC 2231 Cyclopentasiloxane and Dimethiconol	4.5	Basildon Chemicals

Method

- Combine the ingredients of Part 1 using a ribbon blender and micropulverise.
- Combine the ingredients of Part 2 and heat the mixture to 60°C. Spray Part 2 into the Part 1 mixture while blending.
- Micropulverise until homogeneous and press at 1000 PSI.

Please note that the above formulation is only intended as a guide. It is not a commercial formulation and has not been tested as such. The formulation should be evaluated and modified for your own requirements before use. Also suggestions of uses should not be taken as inducements to infringe any particular patent.

Basildon Chemical Company Limited
Kimber Road, Abingdon, Oxon, OX14 1RZ England
Tel: 01235 526677 Fax: 01235 524334
E-Mail: Sales@baschem.co.uk Web Site: www.baschem.co.uk