

# BASILDON CHEMICAL COMPANY LIMITED

## SAFETY DATA SHEET BC 2275 (silicone microemulsion)

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**PRODUCT NAME** BC 2275 (silicone microemulsion)  
**SUPPLIER** Basildon Chemical Company  
Limited  
Kimber Road  
Abingdon  
Oxon  
OX14 1RZ  
ENGLAND  
T:+44 (0)1235 526677  
F:+44 (0)1235 524334  
W:www.baschem.co.uk  
**EMERGENCY TELEPHONE** +44 (0) 1235 526677 (8.30am - 5.00pm Mon - Fri)

### 2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
OCTAMETHYLCYCLOTETRAILOXANE	209-136-7	556-67-2	1-5%	Repr3;R62 R53
Triethanolamine dodecylbenzene sulfonate			10-30%	Xi;R36/38.

The Full Text for all R-Phrases are Displayed in Section 16

### 4 FIRST-AID MEASURES

#### INHALATION

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

#### INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

#### SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

#### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### 6 ACCIDENTAL RELEASE MEASURES

#### SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

**7 HANDLING AND STORAGE**

**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

**STORAGE PRECAUTIONS**

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**PROTECTIVE EQUIPMENT**



**ENGINEERING MEASURES**

Provide adequate ventilation. Observe Workplace Exposure Limits and minimise the risk of inhalation of vapours.

**RESPIRATORY EQUIPMENT**

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

**HAND PROTECTION**

Use suitable protective gloves if risk of skin contact.

**EYE PROTECTION**

If risk of splashing, wear safety goggles or face shield.

**OTHER PROTECTION**

Wear appropriate clothing to prevent any possibility of skin contact.

**HYGIENE MEASURES**

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>APPEARANCE</b>	Clear or Translucent Liquid		
<b>COLOUR</b>	Colourless		
<b>ODOUR</b>	Slight odour		
<b>SOLUBILITY</b>	Disperses.		
<b>BOILING POINT (°C)</b>	~ 100	<b>MELTING POINT (°C)</b>	~ 0
<b>BULK DENSITY</b>	~ 1000 kg/m3	<b>pH-VALUE, CONC. SOLUTION</b>	~ 7.5

**10 STABILITY AND REACTIVITY**

**STABILITY**

Stable under normal temperature conditions.

**CONDITIONS TO AVOID**

Avoid excessive heat for prolonged periods of time.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

**11 TOXICOLOGICAL INFORMATION**

**INHALATION**

In high concentrations, vapours may irritate throat and respiratory system and cause coughing.

**INGESTION**

May cause discomfort if swallowed.

**BC 2275 (silicone microemulsion)**

**SKIN CONTACT**

Liquid may irritate skin.

**EYE CONTACT**

Spray and vapour in the eyes may cause irritation and smarting.

**12 ECOLOGICAL INFORMATION**

**ECOTOXICITY**

Not regarded as dangerous for the environment.

**13 DISPOSAL CONSIDERATIONS**

**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION**

**ROAD TRANSPORT NOTES** Not Classified

**RAIL TRANSPORT NOTES** Not Classified.

**SEA TRANSPORT NOTES** Not Classified.

**AIR TRANSPORT NOTES** Not Classified.

**15 REGULATORY INFORMATION**

**RISK PHRASES**

NC Not classified.

**SAFETY PHRASES**

S25 Avoid contact with eyes.

**STATUTORY INSTRUMENTS**

Chemicals (Hazard Information and Packaging) Regulations.

**APPROVED CODE OF PRACTICE**

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

**GUIDANCE NOTES**

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

**16 OTHER INFORMATION**

**REVISION DATE** 07/03/2005

**REV. NO./REPL. SDS** 2

**GENERATED**

**RISK PHRASES IN FULL**

R36/38 Irritating to eyes and skin.

R53 May cause long-term adverse effects in the aquatic environment.

R62 Possible risk of impaired fertility.

**DISCLAIMER**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.